

Trade name: SSB® 56 SONNE FL

Version: 3.0 / E Print date: 01.08.2013 Revision date: 01.08.2013

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Identification of the substance or preparation:

Shellac

Identification on the label / trade name:

SSB® 56 SONNE FL

Additional identification:

REACH Registration No.:

Pre-Registration No. Shellac: 05-2114511069-55-0000

According to our investigations the SSB shellacs meet the definition of polymers under (EC) 1907/2006 (REACH) and are exempted from registration.

1.2 Use of the substance / preparation:

Food additive (food coating, glazing agent), surface coating, binding agent, adhesive

1.2.1 Identified uses:

SU3: Industrial uses: Uses of substances as such or in preparations* at industrial sites

SU4: Manufacture of food products SU5: Manufacture of textiles, leather, fur

SU6a: Manufacture of wood and wood products
SU6b: Manufacture of pulp, paper and paper products

SU10: Formulation [mixing] of preparations and/or re-packaging

SU12: Manufacture of plastics products, including compounding and conversion

SU18: Manufacture of furniture

SU19: Building and construction work

SU20: Health services

SU21: Consumer uses: (Private house =general public = consumers)

SU22: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU24: Scientific research and development

1.2.2 Uses advised against:

At present we have no details for the uses advised against. By availability this data will be included in the material safety data sheet.

1.3 Company/undertaking identification

Supplier (manufacturer/importer/downstream user/distributor):

Stroever GmbH & Co. KG Postfach 15 03 51 Auf der Muggenburg 11 28217 Bremen

Tel: 0421-38613-0 Fax: 0421-38613-44

E-Mail:

info@stroever.de

Information contact:

National contact:

1.4 Emergency Telephone

Tel: 0049 (0) 421 386130 This number is only available during office hours.

P22-60-0410 0001 Seite: 1 von 10

STROEVER SCHELLACK BREMEN

Trade name: SSB® 56 SONNE FL

Version: 3.0 / E Print date: 01.08.2013 Revision date: 01.08.2013

2. HAZARDS IDENTIFICATION

2.1 Hazards description:

Not be classified according to EC preparations Directive 1999/45/EC.

GHS 1272/2008			
Hazard classes/Hazard categories	Hazard statement	Classification procedure	

67/548/EWG and1999/45/EG				
Hazard classes/Hazard categories	Risk phrases			

The full text of the risk phrases are mentioned in Section 16.

2.2 Informations pertaining to special dangers for human and environment:

According to the current knowledge of the manufacturer and if properly handled the product will not cause hazards for human health and environment. Handle in accordance with good industrial safety practice.

Labelling (Regulation (EC) No 1272/2008)

Hazard pictograms:

Signal words: None Hazard statements: None Precautionary statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Preparation / mixture related information

Chemical Characterization:

Description: Natural resin of animal origin, decolorized and dewaxed

CAS-No.: 9000-59-3 EC-No.: 232-549-9

3.2 Hazard ingredients:

Constituent: None Classification: None

3.3 Components with prescriptive EC-Limits:

Constituent: None Classification: None

4. <u>FIRST – AID – MEASURES</u>

4.1 General:

Change all contaminated clothing.

4.2 After Inhalation:

Remove person to fresh air. In case of complaints consult a physician.

4.3 After skin contact:

Wash off with plenty of water and soup

P22-60-0410 0001 Seite : 2 von 10

STROEVER SCHELLACK BREMEN

Trade name: SSB® 56 SONNE FL

Version: 3.0 / E Print date: 01.08.2013 Revision date: 01.08.2013

.

4.4 After eye contact:

Rinse with plenty of water. Should irritation continue call in ophtalmologist.

4.5 After swallowing:

Rinse mouth with water and drink plenty of water. Never give anything to unconscious person. Induce vomiting as long as affected person is conscious. Immediately get medical help.

4.7 INFORMATION TO PHYSICIAN

Symptoms: No information available Hazards: No information available

<u>Treatments:</u> Symptomatic treatment. No information available

5. FIRE-FIGHTING-MEASURES

5.1 Extinguishing media:

Water spray jet, extinguishing foam, extinguishing powder, carbon dioxide (CO₂).

5.2 Unsuitable extinguishing media:

Direct water jet.

5.3 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:

Incomplete combustion may generate hazardous gases (carbon monoxide).

5.4 Special protective equipment for fire-fighting:

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable clothing.

5.5 Further Information:

Prevent fire extinguishing water from contaminating surface water or ground water system. Fire residues and contaminated fire extinguishing water must be disposed in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personel precautions:

Wear protective clothing. Avoid contact with skin and eyes. Do not ingest or inhale.

6.2 Environmental precautions:

Do not empty into drains, surface water or ground water. Contact local authorities if product pollutes soil or vegetation.

6.3 Methods for cleaning up:

Usual procedures for collecting powdery or granular materials. Clean up affected area. All alkaline cleaning agents are suitable.

6.4 Additional information:

Protective equipment see section 8.

7. HANDLING AND STORAGE

7.1 Handling:

Instructions for safe handling:

Keep container tightly closed. Wear adequate protective clothing (see section 8). Avoid contact with eyes and skin.

P22-60-0410 0001 Seite: 3 von 10

Trade name: SSB® 56 SONNE FL



Hygiene measures:

Keep away from food, beverages and feed. When using do not eat, drink or smoke. Wash hands before breaks and after work. Remove contaminated clothing. Work clothes separately. Avoid contact with skin, eyes and clothing.

7.2 STORAGE

Technical measures and storage conditions:

Stable under recommended storage conditions. Shelf-Live:Minimum 2 Years (at <20°C and 50% rel. humidity)

Requirements for storage rooms and vessels:

Store dry and in the original tightly sealed containers. Store locked up.

Storage class (VCI-Concept): 11, combustible solids

Storage compatibility:

Do not store together with: food, drink and animal feeding stuffs.

Further information on storage conditions:

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit values

Components with occupational exposure limits:

Component:

Occupational exposure limits:

8.2 EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities:

Provide sufficient ventilation at processing equipment, e.g. by local extractor fan. If these measures are not sufficient for keeping particle and / or solvent concentration below limiting values (MAK) suitable protective breathing equipment has to be used. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Personal protective equipment:

General protective measures:

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of the work. Avoid contact with skin, eyes and clothing. Do not inhale dust. Remove contaminated clothing immediately.

Respiratory protection:

Not required

Hand protection:

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.

Glove-material: Butyl Rubber Break through time: >=8h Glove-Thickness: 0,5mm

P22-60-0410 0001 Seite: 4 von 10

STROEVER SCHELLACK BREMEN

Trade name: SSB® 56 SONNE FL

Version: 3.0 / E Print date: 01.08.2013 Revision date: 01.08.2013

Glove-material: Polyvinylchloride

Break through time: >=8h Glove-Thickness: 0,5mm

Glove-material: Fluor Rubber Break through time: >=8h Glove-Thickness: 0,4mm

Glove-material: Nitril Rubber Break through time: >=8h Glove-Thickness: 0.35mm

Eye protection:

Safety glasses with protective shields (EN 166, BGR 192, ZH 1/703)

Hygiene measures:

Apply preventive skin protection. Immediately change contaminated clothing. Wash hands and face after working with substance. Do not inhale substance. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance:

Physical state: Solid

Colour: Yellowish

Odour: Nearly odourless

9.2 Important health, safety and environmental information

Safety relevant basic data:


pH-Value (20°C): n.a. Melting range (°C): 65-77°C Boiling point (°C): n.a. >300°C Flash point (°C): Vapour pressure (°C): n.a. Density (g/cm3): n.a. Bulk density at 20°C (kg/m3): 400 kg/m³ Insoluble Water solubility (20°C in g/l): Partition coefficient:: n.a. n-octano I/ wasser (log Pow): n.a. Viscosity, dynamic (mPa s): n.a.

Explosive risk: Product does not present an explosion hazard

Lower explosion limit: n.a. Upper explosion limit: n.a.

P22-60-0410 0001 Seite: 5 von 10

Trade name: SSB® 56 SONNE FL



10. **STABILITY AND REACTIVITY**

10.1 Thermal decomposition/conditions to be avoided:

Stable under recommended storage and handling conditions.

10.2 Chemicals to be avoided:

Not known.

10.3 Hazardous decomposition products:

None if stored and handled according to specifications.

11. TOXIKOLOGICAL INFORMATION

11.1 Toxicokinetics, metabolism and distribution

Component:

Shellac CAS-Nr.: 9000-59-3

Acute inhalation toxicity:

Method:

Dose:

Exposition time: Typ of value:

Species:

No references to toxic effects by shellac in experimental studies with rabbits.

Acute oral toxicity:

Method:

Dose: >5000mg/kg

Exposition time:

Typ of value: LD 50 Species: Rat

Acute dermal toxicity:

Database:

Dose: >10000mg/kg

Typ of value: LD 50 Spezies: Rabbit

Toxicological information:

No data available for the product itself. The description of possible hazardous effects is based on experience from practice and/or toxicological properties of single components. Acute toxicity potential, skin irritation potential, mucous membrane irritation potential, mutagenic potential and skin sensitizing potential of the substance/preparation has been evaluated by the manufacturer based on available data for the main components. However, in some cases data for particular main components are incomplete. According to the experience of the manufacturer no other hazards have to be expected than those already mentioned on the label.

11.2 **IRRITATION:**

Skin:

Not known

Contact with eyes may cause irritation

P22-60-0410 0001 Seite: 6 von 10

Trade name: SSB® 56 SONNE FL



Version: 3.0 / E Print date: 01.08.2013 Revision date: 01.08.2013

Sensitation:

After inhalation: Not known After skin contact: Not known

Subacute to chronically toxicity:

Not known.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction).

Shellac CAS-Nr.: 9000-59-3

Carcinogenicity: Not known in-vitro Mutagenicity: Not known in-vivo Mutagenicity: Not known Genotoxicity: Not known Toxicity for reproduction: Not known

Additional Information:

If used properly no hazards for human health are known or have to be expected.

Shellac is an approved food additive (E904) and has been toxicologically tested accordingly for

legislation.

12 **ECOLOGICAL INFORMATION**

12.1 **Ecotoxicity:**

Aquatic toxicity	Effect dose	Exposure time	Species	Methode	Evaluation
Acute Algae toxicity	LC50	24h	Algae		400mg/l
Acute daphnia toxicity	EC50	24h	Daphnia		500mg/l

Terrestric toxicity: No data available. Plant toxicity: No data avaiable. Behaviour in waste water treatments: No data available.

12.2 **Mobility:**

No information available.

12.3 Persistence and degradability

Abiotic Degradation:

No information available

Physical- and photo-chemical elimination:

No information available

Biodegradation:

Deagradation rate (%)	Time (d)	Method	Evaluation	Remark
34	28	OECD- 301D	moderately degraded	Shellac

P22-60-0410 0001 Seite: 7 von 10

Trade name: SSB® 56 SONNE FL



Bioaccumulative potential:

No Information available.

Bioconcentration factor (BCF):

No Information available.

Longterm-Ecotoxicity:

No Information available.

12.4 Results of PBT assessment:

No Information available.

12.5 Other adverse effects:

No Information available.

12.6 Further ecological information:

AOX-Value: The product does not contain organically bound halogens (AOX)

VOC-content: <1%

Do not flash into surface water or sanitary sewer system.

13. <u>DISPOSAL CONSIDERATIONS</u>

13.1 Appropriate disposal / Product:

If recycling is not possible dispose in accordance with local waste regulations. Classification with waste codes according to EC waste catalogue (EWC) has to be realized by branch and process. The waste producer is responsible for correct encoding and designation of his waste. The waste producer has to get assigned a waste code according to EWC by individual arrangement with the local authorities and a waste disposal specialist. The waste has to be delivered to an authorized waste disposal company.

13.2 Waste codes / waste designations according to EWC / AVV:

080112 – Waste paint and varnish other than those mentioned in 080111 – waste paint and varnish containing organic solvents or other dangerous substances.

13.3 Packaging:

Completely emptied packaging may be reused after proper cleaning or supplied to local recycling facilities. Recommended cleaning agent: Soapy water or alkaline cleaning agent. Unclean packaging or packaging's which cannot be cleaned: Dispose like the product itself.

14. TRANSPORT INFORMATION

14.1 Land transport (ADR/RID/GGVSE): not applicable

Official transport designation:

Class:

Classification Code:

UN-No.:

Packing group:

Hazard label:

Tunnel restriction code:

Special provisions:

14.2 Sea transport (IMDG-Code/GGVSee): not applicable

Proper Shipping Name:

Class:

P22-60-0410 0001 Seite: 8 von 10

STROEVER SCHELLACK BREMEN

Trade name: SSB® 56 SONNE FL

Version: 3.0 / E Print date: 01.08.2013 Revision date: 01.08.2013

UN-No.:

Packing group:

EmS:

Marine Pollutant: Special provisions:

14.3 Air transport (ICAO-IATA/DGR): not applicable

Proper Shipping Name:

Class: UN-No.:

Packing group:

Special provisions:

14.4 Further Information:

Not object to international transport regulations for dangerous goods.

15. REGULATORY INFORMATION

15.1 EU regulations

Chemical Safety Assessment:

Labelling (Regulation (EC) No 1272/2008

Hazard components for labelling:

No hazard components.

Hazard pictograms:

Signal words:

Hazard statements:

Precautionary statements:

Hazard components for labelling:

Other EU regulations:

Information on the Directive 1999 / 13 / EC on the limitation of emissions volatile organic compounds (VOC - RL):

Volatile organic compounds (VOC): <1%

15.2 National regulations (Germany)

Restrictions of occupation:

Störfallverordnung (12. BlmSchV):

not applicable

Wassergefährdungsklasse (water hazard class):

WGK 1 (according VwVwS): slightly hazardous for water


Technische Anleitung Luft (TA – Luft): n.a.

Other regulations, restrictions and prohibition regulations:

None

P22-60-0410 0001 Seite: 9 von 10

Trade name: SSB[®] 56 SONNE FL



16. OTHER INFORMATION

Training advice:

Provide adequate information, instruction and training for operators.

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should therefore not be construed as guaranteeing specific properties.

P22-60-0410 0001 Seite: 10 von 10